



# COSMOS II

## RC-1200-KKN1



reddot design award  
winner 2012



The **COSMOS II** Ultra Tower features a streamlined design accentuated by a pair of distinctive handles like no other. The smooth, brushed aluminum touch of the side panels unlock and swing open like the doors of a luxurious race-car. Hidden behind the front slide cover lies a stack of hot-swappable drive bays. The black interiors provide enough space for oversized XL-ATX System Boards equipped with 4 double width graphics accelerators. A second slide cover on top hides the Advanced Control Panel to manage up to 10 fans and their respective LED lights. The combination of its elegant looks, numerous expansion options and features make the COSMOS II a "Dream Case".

### Features

- Stylish and streamlined race-car inspired design
- Brushed aluminum and steel for strength and elegance
- Airflow optimized design
- Supports up to 10 fans and 13 HDDs (2 from X-dock)
- Supports 4 Way SLI/CF
- Supports XL-ATX / SSI CEB / SSI EEB boards
- Advanced Control Panel:
  - 4 channel fan speed control
  - I/O (USB 3.0 x 2, USB 2.0 x 4, e-SATA, Fan LED on/off switch)

### Package Information

<b>EAN Code</b>	4719512035184		
<b>UPC Code</b>	884102014857		
<b>Carton Size (L x W x H)</b>	730 x 385 x 758mm (28.7 x 15.1 x 29.8 inch)		
<b>Pallet Size (L x W x H)</b>	1140 x 1140 x 120mm (44.8 x 44.8 x 4.7 inch)		
<b>Container</b>	<b>w/ pallet</b>	<b>Cnt/pallet</b>	<b>w/o pallet</b>
20'	90	9	126
40'	180	9	270
40' HQ	240	12	318

### Specifications

<b>Available Color</b>	Midnight Black
<b>Materials</b>	<b>Exterior:</b> Aluminum, Mesh, Synthetics; <b>Interior:</b> Steel-Alloy, Synthetics, Rubber
<b>Dimensions</b>	344(W) x 704(H) x 664(D)mm / 13.5 x 27.7 x 26.1 inch
<b>Weight</b>	22kg / 48.5 lb
<b>M/B Type</b>	Micro-ATX, ATX, E-ATX, XL-ATX, SSI CEB, SSI EEB
<b>5.25" Drive Bays</b>	3
<b>3.5" Drive Bays</b>	13 (2 from X-dock, Middle cage for 5 HDDs, Bottom cage for 6 HDDs)
<b>2.5" Drive Bays</b>	11 (converted from 3.5" cages)
<b>I/O Panel</b>	USB 3.0 x 2, USB 2.0 x 4, e-SATA x 1, Audio In and Out
<b>Expansion Slots</b>	10+1
<b>Cooling System</b>	<b>Front:</b> 200mm LED fan x 1, 700 RPM, 19 dBA (converted from 120/140mm x 1) <b>Top:</b> 120mm Black fan x 1, 1200 RPM, 17 dBA (200mm fan x 1 / 140mm fan x 2 / 120mm fan x 3) <b>Rear:</b> 140mm fan x 1, 1200 RPM, 19 dBA <b>Side:</b> 120mm fan x 2 (optional) <b>HDD:</b> Mid.HDD: 120x25mm fan x 1 (optional) Bottom HDD: 120mm fan x 2, 1200 RPM, 17 dBA
<b>Power Supply</b>	ATX PS2 / EPS 12V (optional)
<b>Maximum</b>	CPU cooler height: 190mm / 7.48 inch
<b>Compatibility</b>	Graphics card length: 385mm / 15.15 inch

### Warranty

2 years

\*Photo time: 2011/9/16, 9/19 (Photos may slightly differ from the final product)

<p>Brushed aluminum and steel, Aluminum handrails and stands</p>	<p>Front View (sliding front door protects ODDs)</p>
<p>Numerous rubber grommets for cable management</p>	<p>Advanced Control Panel for fan speed control &amp; I/O</p>
<p>Individual chambers for improved thermal management</p>	<p>Easy-removable side panels</p>



Removable upper cover for easy maintenance



Removable HDD cages



Supports water cooling



Supports 4 Way SLI / CF



Rear View



Can install 140mm fan x 2 at top